



中国认可
国际互认
检测
TESTING
CNAS L0095

Page 1 of 39 Pages

TEST REPORT

No.: RZRS2020-0713

Client : Qierling (Beijing) Health Technology Co., Ltd.
: Address: No 101-42/101-43 (Dongsheng district), 9th Floor, No 1 Building, No 8th , Heiquan Road, Haidian District, Beijing City.

Receiving Date : 2020-10-13 Completing Date : 2020-10-20

Test Sample : Air Purifier Sample Description : /

Type/Model : KJ350F-C350

Test Items : The content of Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DEHP, BBP, DBP, DIBP

Test Method : IEC 62321-3-1:2013, IEC 62321-4:2013, IEC 62321-5:2013, IEC 62321-6:2015, IEC 62321-7-1:2015, IEC 62321-8:2017

Test Conclusion :	According as	Conclusion
	EU Directive 2011/65 and its amendments	Pass

Lu Yating

Zhou Ye

Xia Qingyun

Tested by: *Lu Yating*

Reviewed by: *Zhou Ye*

Title: Director of Engineering Dept.

Approved by: *Xia Qingyun*

Date of issue: 2020-10-20

Seal of CVC




Vkan Certification & Testing Co., Ltd.

List of Apparatus					
No.	Test Instrument	Type	Number	Period of Calibration Validity	Used (√)
1	XRF	SEA 1000AII	VG DY-0071	2020.11.24	√
2	ICP-OES	Optima 8300	VG DY-0137	2021.04.17	√
3	UV-VIS	Perkin Elmer Lambda 35	JB-0036	2021.03.10	√
4	GC-MS	Trace 1300-ISQ LT	CL-000363	2020.12.09	√
5	GC-MS	GCMS-QP2010 Plus	NA-0095	2021.09.09	√
6	Analytical Balance	XS204	VG DY-0127	2021.04.01	√

Sample description	<p>Manufacturer: Qierling (Beijing) Health Technology Co., Ltd. Manufacturer Address: No 101-42/101-43 (Dongsheng district), 9th Floor, No 1 Building, No 8th , Heiquan Road, Haidian District, Beijing City.</p> <p>Factory: Healthlead Corproation Limited Factory Address: Building A, Digital Silicone Valley Industry Park, No. 89, Hengping Road, Henggang Street, Longgang District, Shenzhen, P.R. China</p>
Remark	—

Flowchart



Material list

Table 1

Component No.	Component name	Specimen No.	Specimen name	No.
1	Shell	1-1	White plastic shell	1
		1-2	White plastic bracket	2
		1-3	Gray plastic cover	3
		1-4	Gray plastic frame	4
		1-5	Gray rubber shim	5
		1-6	Gray plastic bottom cap	6
		1-7	Silvery magnet	7
		1-8	White plastic column	8
		1-9	Silvery plating (metal screw)(middle)	9
		1-10	Silvery substrate (metal screw)(middle)	10
		1-11	Silvery plating (metal screw)(big)	11
		1-12	Silvery substrate (metal screw)(big)	12
		1-13	Silvery plating (metal screw)(small)	13
		1-14	Silvery substrate (metal screw)(small)	14
2	Motor (fan)	2-1	Gray plastic cover (fan)	15
		2-2	Black plastic impeller	16
		2-3	Silvery metal nut	17
		2-4	Silvery metal axle	18
		2-5	Silvery metal shim	19
		2-6	Black metal jump ring	20
		2-7	Silvery metal fixed mount	21
		2-8	Silvery metal shell	22
		2-9	Silvery metal inner shell	23
		2-10	Silvery metal dust board	24
		2-11	Silvery metal bracket	25
		2-12	Silvery metal ball	26

Component No.	Component name	Specimen No.	Specimen name	No.
2	Motor (fan)	2-13	PCB substrate	27
		2-14	Silvery metal soldering tin	28
		2-15	Chip resistor	29
		2-16	Chip capacitor	30
		2-17	Chip diode	31
		2-18	Chip audion	32
		2-19	Black chip	33
		2-20	Beige plastic connector	34
		2-21	Silvery aluminic shell (electrolytic capacitor)	35
		2-22	Black plastic foundation	36
		2-23	Black rubber stuff	37
		2-24	Yellow electrolytic paper	38
		2-25	Gray plastic film	39
		2-26	White paper nameplate	40
		2-27	Silvery metal shell	41
		2-28	Black magnet	42
		2-29	Green coating	43
		2-30	Silvery metal silicon steel sheet	44
		2-31	Enameled wire	45
		2-32	Black plastic fixed mount	46
2-33	Black rubber foot pad	47		
2-34	Silvery plating (metal screw)	48		
2-35	Silvery substrate (metal screw)	49		
2-36	Black plastic fixed mount	50		
2-37	PCB substrate	51		
2-38	Silvery metal soldering tin	52		
2-39	Chip capacitor	53		
2-40	Chip resistor	54		

Component No.	Component name	Specimen No.	Specimen name	No.
2	Motor (fan)	2-41	Chip diode	55
		2-42	Chip audion	56
		2-43	Black chip	57
		2-44	Silvery metal spring	58
		2-45	Transparent plastic displayer	59
		2-46	PCB substrate	60
		2-47	Black metal inductor	61
		2-48	Black plastic impeller	62
		2-49	Black plastic bracket	63
		2-50	PCB substrate	64
		2-51	Silvery metal soldering tin	65
		2-52	Transparent plastic reel	66
		2-53	Enameled wire	67
		2-54	Silvery metal axle	68
		2-55	Black magnet	69
		2-56	Yellow rubber jacket	70
		2-57	Black rubber jacket	71
		2-58	Red rubber jacket	72
		2-59	Silvery metal wire	73
		2-60	Silvery metal shell	74
		2-61	Black adhesive tape	75
		2-62	Silvery metal spring	76
		2-63	Blue film	77
		2-64	White plastic bracket	78
3	Managed Provider	3-1	White plastic shim	79
		3-2	PCB substrate	80
		3-3	Silvery metal soldering tin	81
		3-4	Chip capacitor	82

Component No.	Component name	Specimen No.	Specimen name	No.
3	Managed Provider	3-5	Chip resistor	83
		3-6	Black chip	84
		3-7	Silvery aluminic shell (electrolytic capacitor)	85
		3-8	Black plastic foundation	86
		3-9	Black rubber stuff	87
		3-10	Yellow electrolytic paper	88
		3-11	Gray plastic film	89
		3-12	Beige plastic connector	90
		3-13	Yellow LED	91
4	Display module	4-1	PCB substrate	92
		4-2	Silvery metal soldering tin	93
		4-3	Chip capacitor	94
		4-4	Chip resistor	95
		4-5	Chip audion	96
		4-6	Black chip	97
		4-7	Silvery aluminic shell (electrolytic capacitor)	98
		4-8	Black plastic foundation	99
		4-9	Black rubber stuff	100
		4-10	Yellow electrolytic paper	101
		4-11	Gray plastic film	102
		4-12	Beige plastic connector	103
		4-13	White plastic bracket	104
		4-14	Black plastic film	105
		4-15	Black sponge shim	106
		4-16	Transparent LED	107
		4-17	Yellow LED	108
4-18	Black plastic shell (buzzer)	109		
4-19	Golden metal vibrating reed	110		

Component No.	Component name	Specimen No.	Specimen name	No.
4	Display module	4-20	White ceramic coating	111
		4-21	Silvery plating (metal screw)	112
		4-22	Silvery substrate (metal screw)	113
5	Main control panel	5-1	Gray plastic shell (PCB)	114
		5-2	PCB substrate	115
		5-3	Silvery metal soldering tin	116
		5-4	Chip capacitor	117
		5-5	Chip resistor	118
		5-6	Chip diode	119
		5-7	Chip audion	120
		5-8	Black chip	121
		5-9	Black ceramic capacitance	122
		5-10	Blue ceramic capacitance	123
		5-11	Black diode	124
		5-12	Yellow plastic shell(safety capacitor)	125
		5-13	Yellow pouring sealant	126
		5-14	Silvery plastic film	127
		5-15	Black rubber shell	128
		5-16	Black metal reel	129
		5-17	Enameled wire	130
		5-18	Black plastic shell (electrolytic capacitor)	131
		5-19	Blue plastic shell	132
		5-20	Yellow plastic shell	133
		5-21	Silvery aluminic shell	134
		5-22	Yellow electrolytic paper	135
		5-23	Silvery plastic film	136
		5-24	Black rubber stuff	137
		5-25	Silvery metal cooling fin	138

Component No.	Component name	Specimen No.	Specimen name	No.
5	Main control panel	5-26	Black silicon controlled	139
		5-27	Black metal bracket (transformer)	140
		5-28	Black plastic reel	141
		5-29	Enameled wire	142
		5-30	Yellow adhesive tape	143
		5-31	Silvery metal bracket	144
		5-32	Black metal bracket	145
		5-33	Black plastic reel	146
		5-34	Enameled wire	147
		5-35	Red plastic shell (fuse)	148
		5-36	Silvery metal fuse	149
		5-37	White plastic connector	150
		5-38	Green coating (metal ring)	151
		5-39	Black substrate (metal ring)	152
		5-40	Gray plastic cover	153
		5-41	PCB substrate	154
		5-42	Silvery metal soldering tin	155
		5-43	Chip capacitance	156
		5-44	Black audion	157
		5-45	White plastic connector	158
		5-46	PCB substrate	159
		5-47	Silvery metal soldering tin	160
		5-48	Chip capacitor	161
		5-49	Chip resistor	162
		5-50	Chip diode	163
		5-51	Chip audion	164
		5-52	Black chip	165
		5-53	Silvery metal cover	166

Component No.	Component name	Specimen No.	Specimen name	No.
5	Main control panel	5-54	White paper nameplate	167
		5-55	Beige plastic connector	168
6	Filter element	6-1	White plastic loam cake	169
		6-2	White plastic lower cover	170
		6-3	Black sponge	171
		6-4	White plastic foundation	172
		6-5	White fibre cloth	173
		6-6	Green fibre cloth	174
		6-7	White fixing glue	175
		6-8	Black carbon strainer	176
		6-9	Transparent plastic strainer	177
		6-10	White plastic bracket	178
7	Wiring harness	7-1	Blue white rubber jacket	179
		7-2	Red white rubber jacket	180
		7-3	Pink white rubber jacket	181
		7-4	Silvery metal wire	182
		7-5	White plastic connector	183
		7-6	White plastic ribbon	184
8	Power line	8-1	Gray rubber pipe	185
		8-2	Blue rubber jacket	186
		8-3	Brown rubber jacket	187
		8-4	Coppery metal wire	188
		8-5	Gray rubber shell	189
		8-6	White plastic inner shell	190
		8-7	Silvery metal illustration	191
		8-8	Black plastic metal ringshell	192
		8-9	Black metal ring	193
		8-10	White plastic sheath	194

Component No.	Component name	Specimen No.	Specimen name	No.
8	Power line	8-11	Beige plastic connector	195
		8-12	Gray rubber ribbon	196

Test Result

Table 2 The determination of Pb, Cd, Hg, Cr(VI), PBBs, PBDEs, DEHP, BBP, DBP, DIBP

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 μg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
1	White plastic shell	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
2	White plastic bracket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
3	Gray plastic cover	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
4	Gray plastic frame	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
5	Gray rubber shim	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
6	Gray plastic bottom cap	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
7	Silvery magnet	/	/	/	/	—	V	N.D.	N.D.	N.D.	N.D.	/	/	/	/	/	/	/	P	
8	White plastic column	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	

No.	Test Sample	Screening Result						Verification Test Result													
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict		
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000			
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50			
9	Silvery plating (metal screw)(middle)	N.D.	N.D.	N.D.	/	—	V	/	/	/	/	Negative	/	/	/	/	/	/	/	P	
10	Silvery substrate (metal screw)(middle)	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	/	P
11	Silvery plating (metal screw)(big)	N.D.	N.D.	N.D.	/	—	V	/	/	/	/	Negative	/	/	/	/	/	/	/	/	P
12	Silvery substrate (metal screw)(big)	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	/	P
13	Silvery plating (metal screw)(small)	N.D.	N.D.	N.D.	/	—	V	/	/	/	/	Negative	/	/	/	/	/	/	/	/	P
14	Silvery substrate (metal screw)(small)	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	/	P
15	Gray plastic cover (fan)	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P
16	Black plastic impeller	N.D.	N.D.	N.D.	N.D.	582	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P
17	Silvery metal nut	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	/	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 $\mu\text{g}/\text{cm}^2$ (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
18	Silvery metal axle	N.D.	N.D.	N.D.	1.2 $\times 10^5$	—	V	/	/	/	N.D.	/	/	/	/	/	/	/	P	
19	Silvery metal shim	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
20	Black metal jump ring	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
21	Silvery metal fixed mount	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
22	Silvery metal shell	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
23	Silvery metal inner shell	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
24	Silvery metal dust board	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
25	Silvery metal bracket	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
26	Silvery metal ball	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
27	PCB substrate	N.D.	N.D.	N.D.	N.D.	1.7 × 10 ⁴	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P	
28	Silvery metal soldering tin	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
29	Chip resistor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
30	Chip capacitor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
31	Chip diode	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
32	Chip audion	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
33	Black chip	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
34	Beige plastic connector	N.D.	N.D.	N.D.	N.D.	7.2 × 10 ⁴	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P	
35	Silvery aluminic shell (electrolytic capacitor)	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 $\mu\text{g}/\text{cm}^2$ (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
36	Black plastic foundation	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
37	Black rubber stuff	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
38	Yellow electrolytic paper	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
39	Gray plastic film	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
40	White paper nameplate	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
41	Silvery metal shell	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
42	Black magnet	/	/	/	/	—	V	N.D.	N.D.	N.D.	N.D.	/	/	/	/	/	/	/	/	P
43	Green coating	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
44	Silvery metal silicon steel sheet	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
45	Enameled wire	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
46	Black plastic fixed mount	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
47	Black rubber foot pad	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
48	Silvery plating (metal screw)	N.D.	N.D.	N.D.	/	—	V	/	/	/	/	Negative	/	/	/	/	/	/	/	P
49	Silvery substrate (metal screw)	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
50	Black plastic fixed mount	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
51	PCB substrate	N.D.	N.D.	N.D.	N.D.	2.3 × 10 ⁴	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P
52	Silvery metal soldering tin	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
53	Chip capacitor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 $\mu\text{g}/\text{cm}^2$ (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
54	Chip resistor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
55	Chip diode	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
56	Chip audion	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
57	Black chip	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
58	Silvery metal spring	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
59	Transparent plastic displayer	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
60	PCB substrate	N.D.	N.D.	N.D.	N.D.	3.1×10^4	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P
61	Black metal inductor	3.8×10^4	N.D.	N.D.	N.D.	—	P ▲1	3.5×10^4	/	/	/	/	/	/	/	/	/	/	/	P ▲1
62	Black plastic impeller	N.D.	N.D.	N.D.	N.D.	3.4×10^4	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 $\mu\text{g}/\text{cm}^2$ (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
63	Black plastic bracket	N.D.	N.D.	N.D.	N.D.	4.2 $\times 10^4$	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P	
64	PCB substrate	N.D.	N.D.	N.D.	N.D.	2318	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P	
65	Silvery metal soldering tin	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
66	Transparent plastic reel	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
67	Enameled wire	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
68	Silvery metal axle	N.D.	N.D.	N.D.	N.D.	1.2 $\times 10^5$	V	/	/	/	N.D.	/	/	/	/	/	/	/	P	
69	Black magnet	/	/	/	/	—	V	N.D.	N.D.	N.D.	N.D.	/	/	/	/	/	/	/	P	
70	Yellow rubber jacket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
71	Black rubber jacket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
72	Red rubber jacket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
73	Silvery metal wire	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
74	Silvery metal shell	N.D.	N.D.	N.D.	1.5 × 10 ⁵	—	V	/	/	/	N.D.	/	/	/	/	/	/	/	/	P
75	Black adhesive tape	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
76	Silvery metal spring	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
77	Blue film	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
78	White plastic bracket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
79	White plastic shim	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
80	PCB substrate	N.D.	N.D.	N.D.	N.D.	2.1 × 10 ⁴	V	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
81	Silvery metal soldering tin	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
82	Chip capacitor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
83	Chip resistor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
84	Black chip	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
85	Silvery aluminic shell (electrolytic capacitor)	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
86	Black plastic foundation	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
87	Black rubber stuff	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
88	Yellow electrolytic paper	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
89	Gray plastic film	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 $\mu\text{g}/\text{cm}^2$ (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
90	Beige plastic connector	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
91	Yellow LED	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
92	PCB substrate	N.D.	N.D.	N.D.	N.D.	2.9 $\times 10^4$	V	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P
93	Silvery metal soldering tin	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
94	Chip capacitor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
95	Chip resistor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
96	Chip audion	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
97	Black chip	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
98	Silvery aluminic shell (electrolytic capacitor)	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
99	Black plastic foundation	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
100	Black rubber stuff	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
101	Yellow electrolytic paper	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
102	Gray plastic film	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
103	Beige plastic connector	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
104	White plastic bracket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
105	Black plastic film	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
106	Black sponge shim	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
107	Transparent LED	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 $\mu\text{g}/\text{cm}^2$ (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
108	Yellow LED	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
109	Black plastic shell (buzzer)	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
110	Golden metal vibrating reed	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
111	White ceramic coating	6.4×10^5	N.D.	N.D.	N.D.	—	P $\blacktriangle 2$	4.4×10^5	/	/	/	/	/	/	/	/	/	/	P $\blacktriangle 2$	
112	Silvery plating (metal screw)	N.D.	N.D.	N.D.	/	—	V	/	/	/	/	Negative	/	/	/	/	/	/	P	
113	Silvery substrate (metal screw)	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
114	Gray plastic shell (PCB)	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
115	PCB substrate	N.D.	N.D.	N.D.	N.D.	2.7×10^4	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P	
116	Silvery metal soldering tin	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 $\mu\text{g}/\text{cm}^2$ (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
117	Chip capacitor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
118	Chip resistor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
119	Chip diode	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
120	Chip audion	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
121	Black chip	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
122	Black ceramic capacitance	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
123	Blue ceramic capacitance	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
124	Black diode	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
125	Yellow plastic shell(safety capacitor)	N.D.	N.D.	N.D.	N.D.	3.3×10^4	V	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
126	Yellow pouring sealant	N.D.	N.D.	N.D.	N.D.	2.9 × 10 ⁴	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P	
127	Silvery plastic film	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
128	Black rubber shell	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
129	Black metal reel	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
130	Enameled wire	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	
131	Black plastic shell (electrolytic capacitor)	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
132	Blue plastic shell	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
133	Yellow plastic shell	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
134	Silvery aluminic shell	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	P	

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 $\mu\text{g}/\text{cm}^2$ (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
135	Yellow electrolytic paper	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
136	Silvery plastic film	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
137	Black rubber stuff	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
138	Silvery metal cooling fin	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
139	Black silicon controlled	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
140	Black metal bracket (transformer)	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
141	Black plastic reel	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
142	Enameled wire	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
143	Yellow adhesive tape	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 $\mu\text{g}/\text{cm}^2$ (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
144	Silvery metal bracket	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
145	Black metal bracket	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
146	Black plastic reel	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
147	Enameled wire	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
148	Red plastic shell (fuse)	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
149	Silvery metal fuse	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
150	White plastic connector	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
151	Green coating (metal ring)	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
152	Black substrate (metal ring)	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
153	Gray plastic cover	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
154	PCB substrate	N.D.	N.D.	N.D.	N.D.	3.4 × 10 ⁴	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P
155	Silvery metal soldering tin	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
156	Chip capacitance	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
157	Black audion	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
158	White plastic connector	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
159	PCB substrate	N.D.	N.D.	N.D.	N.D.	9829	V	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P
160	Silvery metal soldering tin	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
161	Chip capacitor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
162	Chip resistor	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
163	Chip diode	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
164	Chip audion	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
165	Black chip	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
166	Silvery metal cover	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
167	White paper nameplate	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
168	Beige plastic connector	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
169	White plastic loam cake	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
170	White plastic lower cover	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
171	Black sponge	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
172	White plastic foundation	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
173	White fibre cloth	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
174	Green fibre cloth	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
175	White fixing glue	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
176	Black carbon strainer	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
177	Transparent plastic strainer	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
178	White plastic bracket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
179	Blue white rubber jacket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result						Verification Test Result												
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict	
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000		
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50		
180	Red white rubber jacket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
181	Pink white rubber jacket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
182	Silvery metal wire	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P
183	White plastic connector	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
184	White plastic ribbon	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
185	Gray rubber pipe	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
186	Blue rubber jacket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
187	Brown rubber jacket	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P
188	Coppery metal wire	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	P

No.	Test Sample	Screening Result						Verification Test Result													
		Pb	Cd	Hg	Cr	Br	Verdict	Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP	DIBP	Verdict		
Requirement(mg/kg)	b)	b)	b)	b)	b)	1000		100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	1000			
MDL(mg/kg)	10	10	10	10	10	5		5	5	5	—	50	50	50	50	50	50	50			
189	Gray rubber shell	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	P	
190	White plastic inner shell	N.D.	N.D.	N.D.	N.D.	3.7 × 10 ⁴	V	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P
191	Silvery metal illustration	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	/	P
192	Black plastic metal ringshell	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
193	Black metal ring	N.D.	N.D.	N.D.	N.D.	—	P	/	/	/	/	/	/	/	/	/	/	/	/	/	P
194	White plastic sheath	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P
195	Beige plastic connector	N.D.	N.D.	N.D.	N.D.	8.1 × 10 ⁴	V	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	P
196	Gray rubber ribbon	N.D.	N.D.	N.D.	N.D.	N.D.	P	/	/	/	/	/	/	/	/	N.D.	N.D.	N.D.	N.D.	N.D.	P

No.	Test Sample	Screening Result					Verdict	Verification Test Result										Verdict	
		Pb	Cd	Hg	Cr	Br		Pb	Cd	Hg	(Cr VI)		PBBs	PBDEs	DEHP	BBP	DBP		DIBP
	Requirement(mg/kg)	b)	b)	b)	b)	b)	Verdict	1000	100	1000	1000 (d)	0.10 µg/cm ² (e)	1000	1000	1000	1000	1000	1000	Verdict
	MDL(mg/kg)	10	10	10	10	10		5	5	5	5	—	50	50	50	50	50	50	50

Remarks: a) Screening results, "P" means "Pass", "F" means "Fail", "V" means "the need for chemical confirmation."
 b) XRF Screening limits scope: Pb: $P \leq 700 < V < 1300 \leq F$; Cd: $P \leq 70 < V < 130 \leq F$; Hg: $P \leq 700 < V < 1300 \leq F$; Cr: $P \leq 700 < V$; Br: $P \leq 300 < V$; XRF does not apply to the direct determination of hexavalent chromium plating.
 c) "N.D." means "Not Detected"; "/" means "untested"; "—" means "not applicable"
 d) It is the hexavalent chromium limit of Metal substrates or non-metallic materials.
 e) It is the hexavalent chromium limit of metal plating.
 "Negative" means "the Cr(VI) concentration is less than 0.10µg/cm²"; "Positive" means the Cr(VI) concentration detected in the boiling water extraction solution is equal to or greater than 0.13µg/cm² with a sample surface area of 50 cm² used.
 f) "▲ 1" According to the declaration from client, Pb is exempted by EU RoHS Directive 2011/65/EU base on: Copper alloy containing up to 4% lead by weight.
 "▲ 2" According to the declaration from client, Pb is exempted by EU RoHS Directive 2011/65/EU base on: Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.

Sample Photos




Remark: /


Sample split Photos



1




2




3



4~7



8~14




15




16~17




18~49




50~78



79~91




92~113




114~153


Sample split Photos




154~158



159~168



169~177




178





179~184



185~195



196



-----End of Report-----

Important

1. The test report is invalid without the official stamp of CVC;
2. Any photocopies or part photocopies of the test report are forbidden without the written permission from CVC;
3. The test report is invalid without the signatures of Author and Reviewer;
4. The test report is invalid if altered;
5. Objections to the test report must be submitted to CVC within 15 days;
6. Generally, commission test is responsible for the tested samples only;
7. As for the test result, “N” or “—” means “not applicable” , “/ ” means “not testing” , “P” means “pass” , and “F” means “fail”.

Address: No.3,Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou, China

Tel: 020 32293888

Fax: 020 32293889

Post Code: 510663

E-mail: office@cvc.org.cn

<http://www.cvc.org.cn>