



中国认可
国际互认
检测
TESTING
CNAS L0095

Page 1 of 44 Pages

TEST REPORT

No.: RZRS2020-0669

Client : Qierling (Beijing) Health Technology Co., Ltd.
: Address: No 101-42/101-43 (Dongsheng district), 9th Floor, No 1 Building, No 8th, Heiquan Road, Haidian District, Beijing City.

Receiving Date : 2020-11-02 Completing Date : 2020-11-13

Test Sample : Air sterilizer Sample Description : /

Type/Model : KJ800F-S800

Test Items : The content of Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DEHP, BBP, DBP, DIBP

Test Method : IEC 62321-3-1:2013, IEC 62321-4:2013, IEC 62321-5:2013, IEC 62321-6:2015, IEC 62321-7-1:2015, IEC 62321-8:2017

| | | |
|-------------------|---|------------|
| Test Conclusion : | According as | Conclusion |
| | EU Directive 2011/65 and its amendments | Pass |

Lu Yating
Tested by: *Lu Yating*

Zhou Ye
Reviewed by: *Zhou Ye*

Xia Qingyun
Title: Director of Engineering Dept.
Approved by: *Xia Qingyun*




Date of issue: 2020-11-13
Seal of CVC

Vkan Certification & Testing Co., Ltd.

| List of Apparatus | | | | | |
|--------------------------|--------------------|---------------------------|------------|--------------------------------|----------|
| No. | Test Instrument | Type | Number | Period of Calibration Validity | Used (√) |
| 1 | XRF | SEA 1000AII | VG DY-0071 | 2020.11.24 | √ |
| 2 | ICP-OES | Optima 8300 | VG DY-0137 | 2021.04.17 | √ |
| 3 | UV-VIS | Perkin Elmer Lambda 35 | JB-0036 | 2021.03.10 | √ |
| 4 | GC-MS | Trace 1300-ISQ LT | CL-000363 | 2020.12.09 | √ |
| 5 | GC-MS | GCMS-QP2010 Plus | NA-0095 | 2021.09.09 | √ |
| 6 | Analytical Balance | XS204 | VG DY-0127 | 2021.04.01 | √ |

| | |
|--------------------|---|
| Sample description | <p>Manufacturer: Qierling (Beijing) Health Technology Co., Ltd. Manufacturer Address: No 101-42/101-43 (Dongsheng district), 9th Floor, No 1 Building, No 8th, Heiquan Road, Haidian District, Beijing City.</p> <p>Factory: Healthlead Corproation Limited Factory Address: Building A, Digital Silicone Valley Industry Park, No. 89, Hengping Road, Henggang Street, Longgang District, Shenzhen, P.R. China</p> |
| Remark | — |

Flowchart



Material list

Table 1

| Component No. | Component name | Specimen No. | Specimen name | No. |
|---------------|----------------|--------------|-----------------------------------|-----|
| 1 | Shell | 1-1 | White plastic rear cover | 1 |
| | | 1-2 | White plastic cover | 2 |
| | | 1-3 | Beige plastic bracket | 3 |
| | | 1-4 | White plastic bracket | 4 |
| | | 1-5 | Black sponge mat | 5 |
| | | 1-6 | Gray plastic cover | 6 |
| | | 1-7 | Gray plastic baseboard | 7 |
| | | 1-8 | Silvery plating (metal bracket) | 8 |
| | | 1-9 | Silvery substrate (metal bracket) | 9 |
| | | 1-10 | Silvery metal bracket | 10 |
| | | 1-11 | Silvery metal axle | 11 |
| | | 1-12 | Black rubber wheel | 12 |
| | | 1-13 | White plastic side cover | 13 |
| | | 1-14 | Transparent plastic slice | 14 |
| | | 1-15 | White plastic bracket | 15 |
| | | 1-16 | Transparent plastic filter net | 16 |
| | | 1-17 | Black plating (metal screw) | 17 |
| | | 1-18 | Silvery substrate (metal screw) | 18 |
| | | 1-19 | White plastic cover plate | 19 |
| | | 1-20 | Silvery plating (metal screw) | 20 |
| | | 1-21 | Silvery substrate (metal screw) | 21 |
| | | 1-22 | Silvery magnet | 22 |
| | | 1-23 | Beige plastic bracket | 23 |
| | | 1-24 | Silvery metal spring | 24 |
| 2 | Fan | 2-1 | Gray plastic top head | 25 |
| | | 2-2 | Gray plastic bracket | 26 |
| | | 2-3 | Gray plastic bracket | 27 |

| Component No. | Component name | Specimen No. | Specimen name | No. |
|---------------|----------------|--------------|---------------------------------|-----|
| 2 | Fan | 2-4 | Black plastic impeller | 28 |
| | | 2-5 | Silvery metal shim | 29 |
| | | 2-6 | Black plating (metal screw) | 30 |
| | | 2-7 | Silvery substrate (metal screw) | 31 |
| | | 2-8 | Silvery metal bracket | 32 |
| | | 2-9 | White ceramic shell | 33 |
| | | 2-10 | Silicon steel sheet | 34 |
| | | 2-11 | Black metal shim | 35 |
| | | 2-12 | Silvery plating (metal cover) | 36 |
| | | 2-13 | Silvery substrate (metal cover) | 37 |
| | | 2-14 | Red plastic gasket | 38 |
| | | 2-15 | Silvery nameplate | 39 |
| | | 2-16 | Black rubber tube | 40 |
| | | 2-17 | Blue rubber jacket | 41 |
| | | 2-18 | Yellow rubber jacket | 42 |
| | | 2-19 | White rubber jacket | 43 |
| | | 2-20 | Black rubber jacket | 44 |
| | | 2-21 | Red rubber jacket | 45 |
| | | 2-22 | Silvery metal wire | 46 |
| | | 2-23 | White plastic connector | 47 |
| | | 2-24 | Silvery metal axle | 48 |
| | | 2-25 | Black magnet | 49 |
| | | 2-26 | Silicon steel sheet | 50 |
| | | 2-27 | Silvery metal shell | 51 |
| | | 2-28 | Silvery metal inner shell | 52 |
| | | 2-29 | Silvery metal dust-cover | 53 |
| | | 2-30 | Silvery metal bracket | 54 |
| | | 2-31 | Silvery metal ball | 55 |
| | | 2-32 | Silvery metal nut | 56 |

| Component No. | Component name | Specimen No. | Specimen name | No. |
|---------------|----------------|--------------|-------------------------------|-----|
| 2 | Fan | 2-33 | Silvery metal shim | 57 |
| | | 2-34 | Black metal jump ring | 58 |
| | | 2-35 | White plastic cover | 59 |
| | | 2-36 | Black rubber shim | 60 |
| | | 2-37 | Black plastic fixed mount | 61 |
| | | 2-38 | PCB substrate | 62 |
| | | 2-39 | Silvery metal soldering tin | 63 |
| | | 2-40 | Chip capacitor | 64 |
| | | 2-41 | Chip resistor | 65 |
| | | 2-42 | Chip diode | 66 |
| | | 2-43 | Chip audion | 67 |
| | | 2-44 | Black chip | 68 |
| | | 2-45 | Silvery metal spring | 69 |
| | | 2-46 | Transparent plastic displayer | 70 |
| | | 2-47 | PCB substrate | 71 |
| | | 2-48 | Black metal inductor | 72 |
| | | 2-49 | Black plastic impeller | 73 |
| | | 2-50 | Black plastic bracket | 74 |
| | | 2-51 | PCB substrate | 75 |
| | | 2-52 | Silvery metal soldering tin | 76 |
| | | 2-53 | Transparent plastic reel | 77 |
| | | 2-54 | Enameled wire | 78 |
| | | 2-55 | Silvery metal axle | 79 |
| | | 2-56 | Black magnet | 80 |
| | | 2-57 | Yellow rubber jacket | 81 |
| | | 2-58 | Black rubber jacket | 82 |
| | | 2-59 | Red rubber jacket | 83 |
| | | 2-60 | Silvery metal wire | 84 |
| | | 2-61 | Black sponge mat | 85 |
| | | 2-62 | Silvery metal shell | 86 |

| Component No. | Component name | Specimen No. | Specimen name | No. |
|---------------|--------------------|--------------|---|-----|
| 2 | Fan | 2-63 | Black adhesive tape | 87 |
| | | 2-64 | Silvery metal spring | 88 |
| 3 | Filter | 3-1 | White plastic bracket | 89 |
| | | 3-2 | Blue fiber shell | 90 |
| | | 3-3 | Green filter net | 91 |
| | | 3-4 | Transparent rubber storey | 92 |
| 4 | Main control panel | 4-1 | PCB substrate | 93 |
| | | 4-2 | Silvery metal soldering tin | 94 |
| | | 4-3 | Chip capacitor | 95 |
| | | 4-4 | Chip resistor | 96 |
| | | 4-5 | Chip diode | 97 |
| | | 4-6 | Chip audion | 98 |
| | | 4-7 | Black chip | 99 |
| | | 4-8 | Blue ceramic capacitance | 100 |
| | | 4-9 | Black ceramic capacitance | 101 |
| | | 4-10 | Pink carbon resister | 102 |
| | | 4-11 | Yellow plastic shell (safety capacitor) | 103 |
| | | 4-12 | Yellow pouring sealant | 104 |
| | | 4-13 | Silvery plastic film | 105 |
| | | 4-14 | Silvery metal bracket | 106 |
| | | 4-15 | Black metal bracket | 107 |
| | | 4-16 | Black plastic reel | 108 |
| | | 4-17 | Enameled wire | 109 |
| | | 4-18 | Yellow adhesive tape | 110 |
| | | 4-19 | Black metal bracket | 111 |
| | | 4-20 | Black plastic reel | 112 |
| | | 4-21 | Enameled wire | 113 |
| | | 4-22 | Yellow adhesive tape | 114 |
| | | 4-23 | Black rubber shell | 115 |
| | | 4-24 | Black metal reel | 116 |

| Component No. | Component name | Specimen No. | Specimen name | No. |
|---------------|--------------------|--------------|--|-----|
| 4 | Main control panel | 4-25 | Enameled wire | 117 |
| | | 4-26 | Black plastic shell (electrolytic capacitor) | 118 |
| | | 4-27 | Blue plastic shell | 119 |
| | | 4-28 | Green plastic shell | 120 |
| | | 4-29 | Silvery aluminum case | 121 |
| | | 4-30 | Yellow electrolytic paper | 122 |
| | | 4-31 | Silvery plastic film | 123 |
| | | 4-32 | Black rubber plug | 124 |
| | | 4-33 | Red plastic shell | 125 |
| | | 4-34 | Silvery metal fuse | 126 |
| | | 4-35 | White plastic connector | 127 |
| | | 4-36 | PCB substrate | 128 |
| | | 4-37 | Silvery metal soldering tin | 129 |
| | | 4-38 | Chip capacitor | 130 |
| | | 4-39 | Chip resistor | 131 |
| | | 4-40 | Black chip | 132 |
| | | 4-41 | PCB substrate | 133 |
| | | 4-42 | Silvery metal soldering tin | 134 |
| | | 4-43 | Chip resistor | 135 |
| | | 4-44 | Black audion | 136 |
| | | 4-45 | White plastic plug seat | 137 |
| | | 4-46 | PCB substrate | 138 |
| | | 4-47 | Silvery metal soldering tin | 139 |
| | | 4-48 | Black plastic shell | 140 |
| | | 4-49 | Coppery metal slice | 141 |
| | | 4-50 | White ceramic coating | 142 |
| | | 4-51 | White plastic plug seat | 143 |
| | | 4-52 | White rubber jacket | 144 |
| | | 4-53 | Enameled wire | 145 |
| | | 4-54 | PCB substrate | 146 |

| Component No. | Component name | Specimen No. | Specimen name | No. |
|---------------|---------------------------------|--------------|---------------------------------------|-----|
| 4 | Main control panel | 4-55 | Silvery metal soldering tin | 147 |
| | | 4-56 | Chip resistor | 148 |
| | | 4-57 | Chip capacitor | 149 |
| | | 4-58 | Black diode | 150 |
| | | 4-59 | Beige plastic plug seat | 151 |
| | | 4-60 | PCB substrate | 152 |
| | | 4-61 | Silvery metal soldering tin | 153 |
| | | 4-62 | Chip resistor | 154 |
| | | 4-63 | Black diode | 155 |
| | | 4-64 | Golden light | 156 |
| | | 4-65 | Red rubber jacket | 157 |
| | | 4-66 | Gray rubber jacket | 158 |
| | | 4-67 | White plastic plug | 159 |
| | | 4-68 | PCB substrate | 160 |
| | | 4-69 | Silvery metal soldering tin | 161 |
| | | 4-70 | Chip resistor | 162 |
| | | 4-71 | Chip capacitor | 163 |
| | | 4-72 | Black diode | 164 |
| | | 4-73 | Black audion | 165 |
| | | 4-74 | Silvery metal chip | 166 |
| | | 4-75 | Red/white rubber jacket | 167 |
| | | 4-76 | Enameled wire | 168 |
| | | 4-77 | White plastic plug | 169 |
| | | 4-78 | Silvery plating (metal screw) | 170 |
| 4-79 | Silvery substrate (metal screw) | 171 | | |
| 5 | Operation display module | 5-1 | Black coating (plastic panel) | 172 |
| | | 5-2 | Transparent substrate (plastic panel) | 173 |
| | | 5-3 | Transparent glass panel | 174 |
| | | 5-4 | Silvery plastic film | 175 |

| Component No. | Component name | Specimen No. | Specimen name | No. | | |
|---------------|---------------------------|--------------|-----------------------------|-----|-----------------------------|-----|
| 5 | Operation display module | 5-5 | White plastic film | 176 | | |
| | | 5-6 | Transparent plastic film | 177 | | |
| | | 5-7 | Silvery metal baseboard | 178 | | |
| | | 5-8 | White plastic light strip | 179 | | |
| | | 5-9 | Yellow LEDlight | 180 | | |
| | | 5-10 | PCB substrate | 181 | | |
| | | 5-11 | Silvery metal soldering tin | 182 | | |
| | | 5-12 | Chip capacitor | 183 | | |
| | | 5-13 | Chip resistor | 184 | | |
| | | 5-14 | Chip diode | 185 | | |
| | | 5-15 | Chip audion | 186 | | |
| | | 5-16 | Black chip | 187 | | |
| | | 5-17 | Silvery aluminum case | 188 | | |
| | | 5-18 | Yellow electrolytic paper | 189 | | |
| | | 5-19 | Silvery plastic film | 190 | | |
| | | 5-20 | Black rubber plug | 191 | | |
| | | 5-21 | Beige plastic connector | 192 | | |
| | | 5-22 | Silvery metal spring | 193 | | |
| | | 5-23 | Transparent light | 194 | | |
| | | 5-24 | Silvery fiber cloth | 195 | | |
| | | 5-25 | Black sponge mat | 196 | | |
| | | 6 | Lighting components | 6-1 | PCB substrate | 197 |
| | | | | 6-2 | Silvery metal soldering tin | 198 |
| | | | | 6-3 | Chip capacitor | 199 |
| | | | | 6-4 | Chip resistor | 200 |
| 6-5 | Chip audion | | | 201 | | |
| 6-6 | Yellow LEDlight | | | 202 | | |
| 6-7 | White plastic cover | | | 203 | | |
| 6-8 | Transparent plastic shell | | | 204 | | |
| 7 | Wiring harness components | 7-1 | Black rubber sheath | 205 | | |

| Component No. | Component name | Specimen No. | Specimen name | No. |
|---------------|---------------------------|--------------|---------------------------------|-----|
| 7 | Wiring harness components | 7-2 | Red rubber jacket | 206 |
| | | 7-3 | Black rubber jacket | 207 |
| | | 7-4 | Red/white rubber jacket | 208 |
| | | 7-5 | Black metal ring | 209 |
| | | 7-6 | capacitanceBlack plastic shell | 210 |
| | | 7-7 | Black pouring sealant | 211 |
| | | 7-8 | White plastic connector | 212 |
| | | 7-9 | Beige plastic connector | 213 |
| 8 | Power line | 8-1 | Gray rubber ribbon | 214 |
| | | 8-2 | Gray rubber tube | 215 |
| | | 8-3 | Blue rubber jacket | 216 |
| | | 8-4 | Brown rubber jacket | 217 |
| | | 8-5 | Coppery metal wire | 218 |
| | | 8-6 | White plastic sheath | 219 |
| | | 8-7 | Gray rubber shell | 220 |
| | | 8-8 | White plastic inner shell | 221 |
| | | 8-9 | Silvery metal plug piece | 222 |
| | | 8-10 | Coppery metal inner shell | 223 |
| 9 | Plug seat | 9-1 | Black plastic plug seat | 224 |
| | | 9-2 | Silvery metal pin | 225 |
| | | 9-3 | Red rubber jacket | 226 |
| | | 9-4 | Black rubber jacket | 227 |
| | | 9-5 | Enameled wire | 228 |
| | | 9-6 | Black rubber sheath | 229 |
| | | 9-7 | Beige plastic plug | 230 |
| | | 9-8 | Black metal ring | 231 |
| | | 9-9 | Black rubber heat shrink tubing | 232 |

Test Result

Table 2 The determination of Pb, Cd, Hg, Cr(VI), PBBs, PBDEs, DEHP, BBP, DBP, DIBP

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|---------------------------------|------------------|------|------|------|------|---------|--------------------------|------|----------|------------------------------------|----------|------|-------|------|------|------|------|---------|--|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 1 | White plastic rear cover | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 2 | White plastic cover | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 3 | Beige plastic bracket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 4 | White plastic bracket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 5 | Black sponge mat | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 6 | Gray plastic cover | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 7 | Gray plastic baseboard | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 8 | Silvery plating (metal bracket) | N.D. | N.D. | N.D. | / | — | V | / | / | / | / | Negative | / | / | / | / | / | / | P | |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-----------------------------------|------------------|------|------|-----------------------|------|---------|--------------------------|------|----------|-----------------------------|----------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 µg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 9 | Silvery substrate (metal bracket) | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 10 | Silvery metal bracket | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 11 | Silvery metal axle | N.D. | N.D. | N.D. | 1.4 × 10 ⁵ | — | V | / | / | / | N.D. | / | / | / | / | / | / | / | / | P |
| 12 | Black rubber wheel | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 13 | White plastic side cover | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 14 | Transparent plastic slice | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 15 | White plastic bracket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 16 | Transparent plastic filter net | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 17 | Black plating (metal screw) | N.D. | N.D. | N.D. | / | — | V | / | / | / | / | Negative | / | / | / | / | / | / | / | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|---------------------------------|------------------|------|------|-----------------------|------|---------|--------------------------|------|----------|-----------------------------|----------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 µg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 18 | Silvery substrate (metal screw) | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 19 | White plastic cover plate | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 20 | Silvery plating (metal screw) | N.D. | N.D. | N.D. | / | — | V | / | / | / | / | Negative | / | / | / | / | / | / | / | P |
| 21 | Silvery substrate (metal screw) | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 22 | Silvery magnet | / | / | / | / | — | V | N.D. | N.D. | N.D. | N.D. | / | / | / | / | / | / | / | / | P |
| 23 | Beige plastic bracket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 24 | Silvery metal spring | N.D. | N.D. | N.D. | 1.8 × 10 ⁵ | — | V | / | / | / | N.D. | / | / | / | / | / | / | / | / | P |
| 25 | Gray plastic top head | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 26 | Gray plastic bracket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|---------------------------------|------------------|------|------|------|------|---------|--------------------------|------|----------|-----------------------------|----------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 µg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 27 | Gray plastic bracket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 28 | Black plastic impeller | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 29 | Silvery metal shim | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 30 | Black plating (metal screw) | N.D. | N.D. | N.D. | / | — | V | / | / | / | / | Negative | / | / | / | / | / | / | / | P |
| 31 | Silvery substrate (metal screw) | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 32 | Silvery metal bracket | N.D. | N.D. | N.D. | 6859 | — | V | / | / | / | N.D. | / | / | / | / | / | / | / | / | P |
| 33 | White ceramic shell | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 34 | Silicon steel sheet | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 35 | Black metal shim | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | | |
|--------------------|---------------------------------|------------------|------|------|------|------|---------|--------------------------|------|----------|------------------------------------|----------|------|-------|------|------|------|------|---------|------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | | |
| 36 | Silvery plating (metal cover) | N.D. | N.D. | N.D. | / | — | V | / | / | / | / | Negative | / | / | / | / | / | / | / | P | |
| 37 | Silvery substrate (metal cover) | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 38 | Red plastic gasket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 39 | Silvery nameplate | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 40 | Black rubber tube | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 41 | Blue rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 42 | Yellow rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 43 | White rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 44 | Black rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | | |
|--------------------|---------------------------|------------------|------|------|------|-------------------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | | |
| 45 | Red rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 46 | Silvery metal wire | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 47 | White plastic connector | N.D. | N.D. | N.D. | N.D. | 1.1×10^5 | V | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P | |
| 48 | Silvery metal axle | N.D. | N.D. | N.D. | N.D. | 1.3×10^5 | V | / | / | / | N.D. | / | / | / | / | / | / | / | / | / | P |
| 49 | Black magnet | / | / | / | / | — | V | N.D. | N.D. | N.D. | N.D. | / | / | / | / | / | / | / | / | / | P |
| 50 | Silicon steel sheet | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 51 | Silvery metal shell | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 52 | Silvery metal inner shell | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 53 | Silvery metal dust-cover | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | | |
|--------------------|---------------------------|------------------|------|------|------|-----------------------|---------|--------------------------|------|----------|-----------------------------|------|------|-------|------|------|------|------|---------|------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 µg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | | |
| 54 | Silvery metal bracket | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P | |
| 55 | Silvery metal ball | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 56 | Silvery metal nut | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 57 | Silvery metal shim | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 58 | Black metal jump ring | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 59 | White plastic cover | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 60 | Black rubber shim | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 61 | Black plastic fixed mount | N.D. | N.D. | N.D. | N.D. | 1398 | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 62 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 2.5 × 10 ⁵ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-------------------------------|------------------|------|------|------|-------------------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 63 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 64 | Chip capacitor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 65 | Chip resistor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 66 | Chip diode | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 67 | Chip audion | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 68 | Black chip | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 69 | Silvery metal spring | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 70 | Transparent plastic displayer | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 71 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 3.1×10^4 | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-----------------------------|-----------------------|------|------|-----------------------|-----------------------|---------|--------------------------|------|----------|-----------------------------|------|------|-------|------|------|------|------|---------|------|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 µg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 72 | Black metal inductor | 3.8 × 10 ⁴ | N.D. | N.D. | N.D. | — | P ▲1 | 3.5 × 10 ⁴ | / | / | / | / | / | / | / | / | / | / | / | P ▲1 |
| 73 | Black plastic impeller | N.D. | N.D. | N.D. | N.D. | 4.5 × 10 ⁴ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 74 | Black plastic bracket | N.D. | N.D. | N.D. | N.D. | 5.5 × 10 ⁴ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 75 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 2.9 × 10 ⁴ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 76 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 77 | Transparent plastic reel | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 78 | Enameled wire | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 79 | Silvery metal axle | N.D. | N.D. | N.D. | 1.2 × 10 ⁵ | — | V | / | / | / | N.D. | / | / | / | / | / | / | / | / | P |
| 80 | Black magnet | / | / | / | / | — | V | N.D. | N.D. | N.D. | N.D. | / | / | / | / | / | / | / | / | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-----------------------|------------------|------|------|-------------------|------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 81 | Yellow rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 82 | Black rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 83 | Red rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 84 | Silvery metal wire | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 85 | Black sponge mat | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 86 | Silvery metal shell | N.D. | N.D. | N.D. | 1.6 $\times 10^5$ | — | V | / | / | / | N.D. | / | / | / | / | / | / | / | / | P |
| 87 | Black adhesive tape | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 88 | Silvery metal spring | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 89 | White plastic bracket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-----------------------------|------------------|------|------|------|-------------------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 90 | Blue fiber shell | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 91 | Green filter net | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 92 | Transparent rubber storey | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 93 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 2.9 $\times 10^4$ | V | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 94 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 95 | Chip capacitor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 96 | Chip resistor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 97 | Chip diode | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 98 | Chip audion | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | | |
|--------------------|---|------------------|------|------|------|-------------------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | | |
| 99 | Black chip | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 100 | Blue ceramic capacitance | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 101 | Black ceramic capacitance | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 102 | Pink carbon resister | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 103 | Yellow plastic shell (safety capacitor) | N.D. | N.D. | N.D. | N.D. | 2.7×10^4 | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 104 | Yellow pouring sealant | N.D. | N.D. | N.D. | N.D. | 2.4×10^4 | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 105 | Silvery plastic film | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 106 | Silvery metal bracket | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 107 | Black metal bracket | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | | |
|--------------------|----------------------|------------------|------|------|------|------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | | |
| 108 | Black plastic reel | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 109 | Enameled wire | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 110 | Yellow adhesive tape | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 111 | Black metal bracket | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 112 | Black plastic reel | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 113 | Enameled wire | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 114 | Yellow adhesive tape | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 115 | Black rubber shell | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 116 | Black metal reel | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|--|------------------|------|------|------|------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 117 | Enameled wire | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 118 | Black plastic shell (electrolytic capacitor) | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 119 | Blue plastic shell | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 120 | Green plastic shell | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 121 | Silvery aluminum case | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 122 | Yellow electrolytic paper | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 123 | Silvery plastic film | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 124 | Black rubber plug | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 125 | Red plastic shell | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-----------------------------|------------------|------|------|------|-----------------------|---------|--------------------------|------|----------|-----------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 µg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 126 | Silvery metal fuse | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 127 | White plastic connector | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 128 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 3.5 × 10 ⁴ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 129 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 130 | Chip capacitor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 131 | Chip resistor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 132 | Black chip | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 133 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 2.8 × 10 ⁴ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 134 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-----------------------------|-------------------|------|------|------|-------------------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---------|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 135 | Chip resistor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 136 | Black audion | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 137 | White plastic plug seat | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 138 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 2.9×10^4 | V | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 139 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 140 | Black plastic shell | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 141 | Coppery metal slice | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 142 | White ceramic coating | 1.4×10^5 | N.D. | N.D. | N.D. | N.D. | P ▲2 | 8.4×10^4 | / | / | / | / | / | / | / | / | / | / | / | P ▲2 |
| 143 | White plastic plug seat | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | | |
|--------------------|-----------------------------|------------------|------|------|------|-----------------------|---------|--------------------------|------|----------|-----------------------------|------|------|-------|------|------|------|------|---------|------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 μg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | | |
| 144 | White rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 145 | Enameled wire | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 146 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 2.8 × 10 ⁴ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 147 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 148 | Chip resistor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 149 | Chip capacitor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 150 | Black diode | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 151 | Beige plastic plug seat | N.D. | N.D. | N.D. | N.D. | 2561 | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 152 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 2.2 × 10 ⁴ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-----------------------------|------------------|------|------|------|-----------------------|---------|--------------------------|------|----------|-----------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 µg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 153 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 154 | Chip resistor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 155 | Black diode | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 156 | Golden light | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 157 | Red rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 158 | Gray rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 159 | White plastic plug | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 160 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 2.7 × 10 ⁴ | V | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 161 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-------------------------------|------------------|------|------|------|------|---------|--------------------------|------|----------|-----------------------------|----------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 µg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 162 | Chip resistor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 163 | Chip capacitor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 164 | Black diode | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 165 | Black audion | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 166 | Silvery metal chip | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 167 | Red/white rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 168 | Enameled wire | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 169 | White plastic plug | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 170 | Silvery plating (metal screw) | N.D. | N.D. | N.D. | / | — | V | / | / | / | / | Negative | / | / | / | / | / | / | / | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|---------------------------------------|------------------|------|------|-------------------|------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 171 | Silvery substrate (metal screw) | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 172 | Black coating (plastic panel) | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 173 | Transparent substrate (plastic panel) | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 174 | Transparent glass panel | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 175 | Silvery plastic film | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 176 | White plastic film | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 177 | Transparent plastic film | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 178 | Silvery metal baseboard | N.D. | N.D. | N.D. | 1.3 $\times 10^5$ | — | V | / | / | / | N.D. | / | / | / | / | / | / | / | / | P |
| 179 | White plastic light strip | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-----------------------------|------------------|------|------|------|-----------------------|---------|--------------------------|------|----------|-----------------------------|------|------|-------|------|------|------|------|---------|--|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 µg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 180 | Yellow LEDlight | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 181 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 2.7 × 10 ⁴ | V | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P | |
| 182 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | P | |
| 183 | Chip capacitor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 184 | Chip resistor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 185 | Chip diode | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 186 | Chip audion | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 187 | Black chip | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P | |
| 188 | Silvery aluminum case | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | P | |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|---------------------------|------------------|------|------|------|-----------------------|---------|--------------------------|------|----------|-----------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 µg/cm ² (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 189 | Yellow electrolytic paper | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 190 | Silvery plastic film | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 191 | Black rubber plug | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 192 | Beige plastic connector | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 193 | Silvery metal spring | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 194 | Transparent light | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 195 | Silvery fiber cloth | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 196 | Black sponge mat | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 197 | PCB substrate | N.D. | N.D. | N.D. | N.D. | 2.7 × 10 ⁴ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|-----------------------------|------------------|------|------|------|------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 198 | Silvery metal soldering tin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 199 | Chip capacitor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 200 | Chip resistor | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 201 | Chip audion | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 202 | Yellow LEDlight | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 203 | White plastic cover | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 204 | Transparent plastic shell | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 205 | Black rubber sheath | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 206 | Red rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|--------------------------------|------------------|------|------|------|-------------------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 207 | Black rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 208 | Red/white rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 209 | Black metal ring | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 210 | capacitanceBlack plastic shell | N.D. | N.D. | N.D. | N.D. | 1.3 $\times 10^4$ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 211 | Black pouring sealant | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 212 | White plastic connector | N.D. | N.D. | N.D. | N.D. | 1.0 $\times 10^5$ | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 213 | Beige plastic connector | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 214 | Gray rubber ribbon | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 215 | Gray rubber tube | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|---------------------------|------------------|------|------|------|-------------------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 216 | Blue rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 217 | Brown rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 218 | Coppery metal wire | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 219 | White plastic sheath | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 220 | Gray rubber shell | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 221 | White plastic inner shell | N.D. | N.D. | N.D. | N.D. | 4.0×10^4 | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 222 | Silvery metal plug piece | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 223 | Coppery metal inner shell | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 224 | Black plastic plug seat | N.D. | N.D. | N.D. | N.D. | 1.0×10^4 | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | | Verification Test Result | | | | | | | | | | | | |
|--------------------|---------------------------------|------------------|------|------|------|------|---------|--------------------------|------|----------|------------------------------------|------|------|-------|------|------|------|------|---------|---|
| | | Pb | Cd | Hg | Cr | Br | Verdict | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | DIBP | Verdict | |
| Requirement(mg/kg) | b) | b) | b) | b) | b) | 1000 | | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | | |
| MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | 5 | | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 | | |
| 225 | Silvery metal pin | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 226 | Red rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 227 | Black rubber jacket | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 228 | Enameled wire | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 229 | Black rubber sheath | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |
| 230 | Beige plastic plug | N.D. | N.D. | N.D. | N.D. | 2738 | V | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | N.D. | N.D. | P |
| 231 | Black metal ring | N.D. | N.D. | N.D. | N.D. | — | P | / | / | / | / | / | / | / | / | / | / | / | / | P |
| 232 | Black rubber heat shrink tubing | N.D. | N.D. | N.D. | N.D. | N.D. | P | / | / | / | / | / | / | / | / | N.D. | N.D. | N.D. | N.D. | P |

| No. | Test Sample | Screening Result | | | | | Verdict | Verification Test Result | | | | | | | | | | Verdict | |
|-----|--------------------|------------------|----|----|----|----|---------|--------------------------|-----|------|----------|------------------------------------|------|-------|------|------|------|---------|------|
| | | Pb | Cd | Hg | Cr | Br | | Pb | Cd | Hg | (Cr VI) | | PBBs | PBDEs | DEHP | BBP | DBP | | DIBP |
| | Requirement(mg/kg) | b) | b) | b) | b) | b) | Verdict | 1000 | 100 | 1000 | 1000 (d) | 0.10 $\mu\text{g}/\text{cm}^2$ (e) | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| | MDL(mg/kg) | 10 | 10 | 10 | 10 | 10 | | 5 | 5 | 5 | 5 | — | 50 | 50 | 50 | 50 | 50 | 50 | 50 |

Remarks: a) Screening results, "P" means "Pass", "F" means "Fail", "V" means "the need for chemical confirmation."
 b) XRF Screening limits scope: Pb: $P \leq 700 < V < 1300 \leq F$; Cd: $P \leq 70 < V < 130 \leq F$; Hg: $P \leq 700 < V < 1300 \leq F$; Cr: $P \leq 700 < V$; Br: $P \leq 300 < V$; XRF does not apply to the direct determination of hexavalent chromium plating.
 c) "N.D." means "Not Detected"; "/" means "untested"; "—" means "not applicable"
 d) It is the hexavalent chromium limit of Metal substrates or non-metallic materials.
 e) It is the hexavalent chromium limit of metal plating.
 "Negative" means "the Cr(VI) concentration is less than $0.10 \mu\text{g}/\text{cm}^2$ "; "Positive" means the Cr(VI) concentration detected in the boiling water extraction solution is equal to or greater than $0.13 \mu\text{g}/\text{cm}^2$ with a sample surface area of 50 cm^2 used.
 f) "▲1" According to the declaration from client, Pb is exempted by EU RoHS Directive 2011/65/EU base on: Copper alloy containing up to 4% lead by weight.
 "▲2" According to the declaration from client, Pb is exempted by EU RoHS Directive 2011/65/EU base on: Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound.

Sample Photos



Remark: /

Sample split Photos



1




2




3~5




6



7~12




13~14




15~16



17~18



19~22



23~24



25~27




28~31

Sample split Photos




32~58




59




60~88




89~92



93~127




128~132



133~137




138~145



146~151



152~159




160~171




172~180

Sample split Photos




181~196



197~203



204



205~213



214~223



224~232

-----End of Report-----

Important

1. The test report is invalid without the official stamp of CVC;
2. Any photocopies or part photocopies of the test report are forbidden without the written permission from CVC;
3. The test report is invalid without the signatures of Author and Reviewer;
4. The test report is invalid if altered;
5. Objections to the test report must be submitted to CVC within 15 days;
6. Generally, commission test is responsible for the tested samples only;
7. As for the test result, “N” or “—” means “not applicable” , “/ ” means “not testing” , “P” means “pass” , and “F” means “fail”.

Address: No.3,Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou, China

Tel: 020 32293888

Fax: 020 32293889

Post Code: 510663

E-mail: office@cvc.org.cn

<http://www.cvc.org.cn>